

Conex

Delcop End Feed

Conex Delcop End Feed Range



Conex Delcop End Feed

Conex Delcop End Feed capillary fittings are available in sizes 6-54mm and are suitable for connecting copper tubes in accordance with EN 1057 (formerly BS 2871: Part 1) and many other standards including ISO 274.

Delcop End Feed fittings are primarily designed for solder applications but, with the exception of Union fittings with copper tails, may also be brazed. For sizes above 54mm please refer to the section on Conex Delbraze and Conex Clyde ranges.

Most fittings in the range are manufactured from Copper or Red Brass thereby being immune to dezincification.

Hydraulic working temperatures and pressures based on EN 1254-1 are shown below:

Conex Delcop End Feed fittings – Soldered

Size (mm)	Conex Delcop End Feed (soft solder alloys)			
	Working pressure (bar)			
	0° to 30°C	65°C	95°C	110°C
6 -54	25	25	19	16

Maximum Working Temperatures and Pressures


VIDEIRA TERM

VIVA NO MELHOR AMBIENTE

116 SALES: +44 (0)121 557 2831 FAX: +44 (0)121 520 8778 WEB: ibpconex.co.uk EMAIL: salesuk@ibpgroup.com

Conex Delcop End Feed

Conex Delcop End Feed fittings – Brazed

Conex Delcop End Feed fittings (Silver brazing)			
Size (mm)	Working pressure (bar)		
	-20° to 110°C	150°C	200°C
6	79.1	67.3	35.6
8	57.9	49.2	26.1
10	45.7	38.8	20.5
12	37.7	32.0	17.0
15	35.1	29.8	15.8
18	33.3	28.3	15.0
22	30.6	26.0	13.8
28	23.8	20.3	10.7
35	21.1	17.9	9.5
42	19.3	16.4	8.7
54	16.3	13.9	7.3

Maximum Working Temperatures and Pressures for Water/Glycol Applications


VIDEIRA TERM

VIVA NO MELHOR AMBIENTE

Conex Delcop End Feed

END FEED ASSEMBLY INSTRUCTIONS:

Tools required:

Tube cutter, deburring tool, blowlamp, abrasive cloth, wire brush, lead free solder, flux.

Assembly

- Ensure the copper tube and fitting sizes are compatible. Cut the tube end square, and ensure it retains its shape.
- Deburr the tube, both inside and outside.
- Clean tube with an abrasive cloth, and fitting socket with a wire brush.
- Apply a thin layer of flux to the tube, and to the fitting socket.
- Insert the tube into the fitting until the tube stop is reached. Rotate the tube or fitting and remove any excess flux where possible.
- Light the blowlamp, and heat the fitting socket until the flux starts to boil. Keep the flame moving over the fitting and tube, do not provide excessive heat or additional solder.
- Apply lead free solder to the tube-fitting interface until it fills the void.
- As a rule of thumb, a length of solder equivalent to the tube diameter will be adequate for a satisfactory joint.
- Remove the blowlamp, allow to cool and wipe the joint(s) with a damp cloth.
- Flush all residues out of the system.

Demounting

- This fitting system is not demountable.


VIDEIRA TERM

VIVA NO MELHOR AMBIENTE

Conex Delcop End Feed



Conex Delcop End Feed


VIDEIRA TERM

VIVA NO MELHOR AMBIENTE

SALES: +44 (0)121 557 2831 FAX: +44 (0)121 520 8778 WEB: ibpconex.co.uk EMAIL: salesuk@ibpgroup.com 119

Conex Delcop End Feed

End Feed Capillary Fittings

DC600: Slip Coupler Copper x Copper



ITEM	SIZE	PACK QTY
5270S015000000	15	10
5270S022000000	22	10
5270S028000000	28	10
5270S035000000	35	1
5270S042000000	42	1
5270S054000000	54	1

DC601: Straight Coupler Copper x Copper



ITEM	SIZE	PACK QTY
5270 006000000	6	10
5270 008000000	8	10
5270 010000000	10	10
5270 012000000	12	10
5270 015000000	15	25
5270 0220000005	22	25
5270 028000000	28	10
5270 035000000	35	1
5270 042000000	42	1
5270 054000000	54	1

VIDEIRATERM
Note: all sizes are in mm unless otherwise stated

VIVA NO MELHOR AMBIENTE

Conex Delcop End Feed

DC601R: Reduced Straight Coupler Copper x Copper



ITEM	SIZE	PACK QTY
5240 008006000	8 x 6	10
5240 010008000	10 x 8	10
5240 015008000	15 x 8	10
5240 015010000	15 x 10	10
5240 015012000	15 x 12	10
5240 022015000	22 x 15	10
5240 028015000	28 x 15	10
5240 028022000	28 x 22	10
5240 035015000	35 x 15	1
5240 035022000	35 x 22	1
5240 035028000	35 x 28	1
5240 042022000	42 x 22	1
5240 042028000	42 x 28	1
5240 042035000	42 x 35	1
5240 054015000	54 x 15	1
5240 054022000	54 x 22	1
5240 054028000	54 x 28	1
5240 054035000	54 x 35	1
5240 054042000	54 x 42	1


VIDEIRA TERM
Note: all sizes are in mm unless otherwise stated

VIVA NO MELHOR AMBIENTE

Conex Delcop End Feed

DC6012: Fitting Reducer Male Copper x Copper



ITEM	SIZE	PACK QTY
5243 008006000	8 x 6	10
5243 010006000	10 x 6	10
5243 010008000	10 x 8	10
5243 012008000	12 x 8	10
5243 015008000	15 x 8	10
5243 015010000	15 x 10	10
5243 015012000	15 x 12	10
5243 0220150005	22 x 15	25
5243 028015000	28 x 15	10
5243 028022000	28 x 22	10
5243 035015000	35 x 15	1
5243 035022000	35 x 22	1
5243 035028000	35 x 28	1
5243 042015000	42 x 15	1
5243 042022000	42 x 22	1
5243 042028000	42 x 28	1
5243 042035000	42 x 35	1
5243 054015000	54 x 15	1
5243 054022000	54 x 22	1
5243 054028000	54 x 28	1
5243 054035000	54 x 35	1
5243 054042000	54 x 42	1


VIDEIRA TERM
Note: all sizes are in mm unless otherwise stated

VIVA NO MELHOR AMBIENTE

Conex Delcop End Feed

DC6012L: Fitting Reducer (Long)

Male Copper x Copper



ITEM	SIZE	PACK QTY
5243L015008000	15 x 8	10
5243L015010000	15 x 10	10

DC601IM: Imperial to Metric Straight Coupler

Copper (Metric) x Copper (Imperial)



ITEM	SIZE	PACK QTY
5241 015004000	1/2" x 15	10
5241 022006000	3/4" x 22	10
5241 028008000	1" x 28	10

DC6012IM: Imperial to Metric Adaptor

Male Copper (Metric) x Copper (Imperial)



ITEM	SIZE	PACK QTY
5242 015004000	1/2" x 15	10
5242 022006000	3/4" x 22	25
5242 028008000	1" x 28	10
5242 035010000	1 1/4" x 35	1

VIDEIRA TERM

Note: all sizes are in mm unless otherwise stated

VIVA NO MELHOR AMBIENTE

Conex Delcop End Feed

DC601TC: Straight Tap Connector

Copper x Swivel Female Thread



ITEM	SIZE	PACK QTY
5240G015004000	15 x 1/2"	10
5240G015006000	15 x 3/4"	10
5240G022006000	22 x 3/4"	10

Supplied with a sealing washer

DC603: Female Straight Connector


Copper x Female Thread (Parallel)



Refer to code DC703

DC604: Male Straight Connector

Copper x Male Thread (Taper)



Refer to code DC704

VIDEIRA TERM
Note: all sizes are in mm unless otherwise stated

VIVA NO MELHOR AMBIENTE

Conex Delcop End Feed

DC606: Obtuse Elbow Copper x Copper



ITEM	SIZE	PACK QTY
5041 015000000	15	25
5041 022000000	22	10
5041 028000000	28	10
5041 035000000	35	1
5041 042000000	42	1
5041 054000000	54	1

DC6062: Obtuse Street Elbow Male Copper x Copper



ITEM	SIZE	PACK QTY
5040 015000000	15	25
5040 022000000	22	10
5040 028000000	28	10
5040 035000000	35	1
5040 042000000	42	1
5040 054000000	54	1


VIDEIRA TERM
Note: all sizes are in mm unless otherwise stated

VIVA NO MELHOR AMBIENTE

Conex Delcop End Feed

DC607: Elbow Copper x Copper



ITEM	SIZE	PACK QTY
5090 006000000	6	10
5090 008000000	8	10
5090 010000000	10	10
5090 012000000	12	10
5090 015000000	15	25
5090 0220000005	22	25
5090 028000000	28	10
5090 035000000	35	1
5090 042000000	42	1
5090 054000000	54	1

DC607R: Reduced Elbow Copper x Copper



ITEM	SIZE	PACK QTY
5090 022015000	22 x 15	10
5090 028022000	28 x 22	10


VIDEIRA TERM
Note: all sizes are in mm unless otherwise stated

VIVA NO MELHOR AMBIENTE

Conex Delcop End Feed

DC607LT: Slow Elbow Copper x Copper



ITEM	SIZE	PACK QTY
5002A010000000	10	10
5002A012000000	12	10
5002A015000000	15	25
5002A022000000	22	10
5002A028000000	28	10
5002A035000000	35	1
5002A042000000	42	1
5002A054000000	54	1

DC6072: Street Elbow Male Copper x Copper



ITEM	SIZE	PACK QTY
5092 010000000	10	10
5092 012000000	12	10
5092 015000000	15	25
5092 022000000	22	25
5092 028000000	28	10
5092 035000000	35	1
5092 042000000	42	1
5092 054000000	54	1


VIDEIRA TERM
Note: all sizes are in mm unless otherwise stated

VIVA NO MELHOR AMBIENTE

Conex Delcop End Feed

DC6072LT: Street Bend Male Copper x Copper



ITEM	SIZE	PACK QTY
5001A015000000	15	25
5001A022000000	22	10
5001A028000000	28	10

DC607TC: Bent Tap Connector Copper x Swivel Female Thread



ITEM	SIZE	PACK QTY
5002G015004000	15 x 1/2"	10
5002G015006000	15 x 3/4"	10
5002G022006000	22 x 3/4"	10

Supplied with a sealing washer

DC60763: Female Bent Union Connector (Copper Tail) Copper x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
DC60763281	28 x 1"	1

VIDEIRATERM
Note: all sizes are in mm unless otherwise stated

VIVA NO MELHOR AMBIENTE

Conex Delcop End Feed

DC60764: Male Bent Union Connector (Copper Tail) Copper x Male Thread (Taper)



ITEM	SIZE	PACK QTY
DC60764221	22 x 1"	10
DC60764223/4	22 x 3/4"	10
DC60764281	28 x 1"	10

DC6076AB: Female Bent Union Connector (Spigot) Copper x Swivel Female Thread



ITEM	SIZE	PACK QTY
4096A022008000	22 x 1"	10

DC6076UA: Bent Cylinder Union (Cone) Copper x Swivel Female Thread




ITEM	SIZE	PACK QTY
4096C022008000	22 x 1"	10

VIDEIRA TERM
Note: all sizes are in mm unless otherwise stated

VIVA NO MELHOR AMBIENTE

Conex Delcop End Feed

DC611: Tee - Equal
Copper All Ends



ITEM	SIZE	PACK QTY
5130 006006006	6	10
5130 008008008	8	10
5130 010010010	10	10
5130 012012012	12	10
5130 015015015	15	25
5130 0220220225	22	25
5130 028028028	28	10
5130 035035035	35	1
5130 042042042	42	1
5130 054054054	54	1


VIDEIRA TERM
Note: all sizes are in mm unless otherwise stated

VIVA NO MELHOR AMBIENTE

Conex Delcop End Feed

DC611RB: Tee - Reduced Branch Copper All Ends



ITEM	SIZE	PACK QTY
5130 015010015	15 x 15 x 10	10
5130 015012015	15 x 15 x 12	10
5130 022010022	22 x 22 x 10	10
5130 022012022	22 x 22 x 12	30
5130 0220150225	22 x 22 x 15	25
5130 028015028	28 x 28 x 15	10
5130 028022028	28 x 28 x 22	10
5130 035015035	35 x 35 x 15	1
5130 035022035	35 x 35 x 22	1
5130 035028035	35 x 35 x 28	1
5130 042015042	42 x 42 x 15	1
5130 042022042	42 x 42 x 22	1
5130 042028042	42 x 42 x 28	1
5130 042035042	42 x 42 x 35	1
5130 054015054	54 x 54 x 15	1
5130 054022054	54 x 54 x 22	1
5130 054028054	54 x 54 x 28	1
5130 054035054	54 x 54 x 35	1
5130 054042054	54 x 54 x 42	1


VIDEIRA TERM
Note: all sizes are in mm unless otherwise stated

VIVA NO MELHOR AMBIENTE

Conex Delcop End Feed

DC611RE: Tee - Reduced End Copper All Ends



ITEM	SIZE	PACK QTY
5130 022022015	22 x 15 x 22	10
5130 028028015	28 x 15 x 28	10
5130 028028022	28 x 22 x 28	10
5130 035035028	35 x 28 x 35	1
5130 042042028	42 x 28 x 42	1

DC611REB: Tee - Reduced End and Branch Copper All Ends



ITEM	SIZE	PACK QTY
5130 015010010	15 x 10 x 10	10
5130 022015015	22 x 15 x 15	10
5130 028015015	28 x 15 x 15	10
5130 028015022	28 x 22 x 15	10
5130 028022015	28 x 15 x 22	10
5130 028022022	28 x 22 x 22	10
5130 035022022	35 x 22 x 22	1
5130 035022028	35 x 28 x 22	1
5130 035028028	35 x 28 x 28	1
5130 042035035	42 x 35 x 35	1

VIDEIRATERM
Note: all sizes are in mm unless otherwise stated

VIVA NO MELHOR AMBIENTE

Conex Delcop End Feed

DC611REE: Tee - Reduced Both Ends

Copper All Ends



ITEM	SIZE	PACK QTY
5130 015022015	15 x 15 x 22	10
5130 022028022	22 x 22 x 28	10
5130 028035028	28 x 28 x 35	1

DC617: Stop End

Copper



ITEM	SIZE	PACK QTY
5301 008000000	8	25
5301 010000000	10	10
5301 012000000	12	10
5301 015000000	15	10
5301 018000000	18	25
5301 022000000	22	10
5301 028000000	28	10
5301 035000000	35	1
5301 042000000	42	1
5301 054000000	54	1


VIDEIRA TERM
Note: all sizes are in mm unless otherwise stated

VIVA NO MELHOR AMBIENTE

Conex Delcop End Feed

DC633: Straight Union Coupler (Copper Tail) Copper x Copper



ITEM	SIZE	PACK QTY
DC63315	15	1

DC6333: Female Straight Union Connector (Copper Tail) Copper x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
DC6333151/2	15 x 1/2"	1
DC6333223/4	22 x 3/4"	10
DC6333281	28 x 1"	1

DC6334: Male Straight Union Connector (Copper Tail) Copper x Male Thread (Taper)



ITEM	SIZE	PACK QTY
DC6334151/2	15 x 1/2"	10
DC6334223/4	22 x 3/4"	10
DC6334221	22 x 1"	1
DC6334281	28 x 1"	1

VIDEIRA TERM

Note: all sizes are in mm unless otherwise stated

VIVA NO MELHOR AMBIENTE

Conex Delcop End Feed

DC633AB: Female Straight Union Connector (Spigot) Copper x Swivel Female Thread



ITEM	SIZE	PACK QTY
4340A022008000	22 x 1"	10

DC633UA: Female Straight Union Connector (Cone) Copper x Swivel Female Thread



ITEM	SIZE	PACK QTY
4340C022006000	22 x 3/4"	25
4340C022008000	22 x 1"	10
4340C028008000	28 x 1"	10
4340C028010000	28 x 1.1/4"	1

DC636: Cross Over Copper x Copper



ITEM	SIZE	PACK QTY
5085 015000000	15	10
5085 022000000	22	10

VIDEIRA TERM
Note: all sizes are in mm unless otherwise stated

VIVA NO MELHOR AMBIENTE


Conex Delcop End Feed

DC636A: Part Cross Over Male Copper x Copper



ITEM	SIZE	PACK QTY
5086 015000000	15	10
5086 022000000	22	10

DC639: Return Bend Copper x Copper



ITEM	SIZE	PACK QTY
5060 015000000	15	10
5060 022000000	22	10

DC640: Extended Street Elbow Copper x Copper



ITEM	SIZE	PACK QTY
DC64022	22	10


VIDEIRA TERM
Note: all sizes are in mm unless otherwise stated

VIVA NO MELHOR AMBIENTE

Conex Delcop End Feed

DC690MU: Straight Gas Meter Union to BS746 Copper x Swivel Female Thread



ITEM	SIZE	PACK QTY
5240Y022006000	22 x 3/4"	10
5240Y022008000	22 x 1"	10
5240Y028008000	28 x 1"	10

DC695MU: Bent Gas Meter Union to BS746 Copper x Swivel Female Thread



ITEM	SIZE	PACK QTY
DC695MU223/4	22 x 3/4"	10

DC701D: Straight Coupler with Air Vent Copper x Copper



ITEM	SIZE	PACK QTY
4270D015000000	15	10
4270D022000000	22	10
4270D028000000	28	10

VIDEIRATERM
Note: all sizes are in mm unless otherwise stated

VIVA NO MELHOR AMBIENTE

Conex Delcop End Feed

DC703: Female Straight Connector Copper x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
4270G015002000	15 x 1/4"	10
4270G015004000	15 x 1/2"	25
4270G015006000	15 x 3/4"	10
4270G022006000	22 x 3/4"	10
4270G022008000	22 x 1"	10
4270G028006000	28 x 3/4"	10
4270G028008000	28 x 1"	10
4270G035010000	35 x 1.1/4"	1
4270G042012000	42 x 1.1/2"	1
4270G054016000	54 x 2"	1

Replaces Catalogue No. DC603

DC7032: Female Straight Connector Male Copper x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
4246G022006000	22 x 3/4"	10


VIDEIRA TERM
Note: all sizes are in mm unless otherwise stated

VIVA NO MELHOR AMBIENTE

Conex Delcop End Feed

DC704: Male Straight Connector Copper x Male Thread (Taper)



ITEM	SIZE	PACK QTY
4243G015002000	15 x 1/4"	10
4243G015003000	15 x 3/8"	10
4243G015004000	15 x 1/2"	25
4243G015006000	15 x 3/4"	10
4243G022006000	22 x 3/4"	10
4243G022008000	22 x 1"	10
4243G028006000	28 x 3/4"	10
4243G028008000	28 x 1"	10
4243G035010000	35 x 1.1/4"	10
4243G042012000	42 x 1.1/2"	1
4243G054016000	54 x 2"	1

Replaces Catalogue No. DC604

DC701D: Male Straight Connector Male Copper x Male Thread (Taper)



ITEM	SIZE	PACK QTY
4280G015004000	15 x 1/2"	10
4280G022006000	22 x 3/4"	10
4280G028008000	28 x 1"	10

VIDEIRA TERM
Note: all sizes are in mm unless otherwise stated

VIVA NO MELHOR AMBIENTE

Conex Delcop End Feed

DC705D: Elbow with Air Vent Copper x Copper




ITEM	SIZE	PACK QTY
4090D015000000	15	10
4090D022000000	22	10

DC70725: Female Wall Plate Elbow (2 Hole) Copper x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
4472G015004000	15 x 1/2"	25
4472G022006000	22 x 3/4"	10

DC7073: Female Elbow Copper x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
4090G015004000	15 x 1/2"	10
4090G022006000	22 x 3/4"	10
4090G028008000	28 x 1"	10
4090G035010000	35 x 1 1/4"	5

VIDEIRA TERM
Note: all sizes are in mm unless otherwise stated

VIVA NO MELHOR AMBIENTE

Conex Delcop End Feed

DC70735: Female Wall Plate Elbow (3 Hole)

Copper x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
4471G015004000	15 x 1/2"	25
4471G022006000	22 x 3/4"	10

DC7074: Male Elbow

Copper x Male Thread (Taper)



ITEM	SIZE	PACK QTY
4092G015004000	15 x 1/2"	25
4092G022006000	22 x 3/4"	10
4092G028008000	28 x 1"	10
4092G035010000	35 x 1.1/4"	1
4092G042012000	42 x 1.1/2"	1
4092G054016000	54 x 2"	1

DC70763: Female Bent Union Connector (Red Brass Tail)

Copper x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
4096G015004000	15 x 1/2"	10
4096G022006000	22 x 3/4"	10
4096G022008000	22 x 1"	5
4096G028008000	28 x 1"	5
4096G035010000	35 x 1.1/4"	1

VIDEIRA TERM

Note: all sizes are in mm unless otherwise stated

VIVA NO MELHOR AMBIENTE

Conex Delcop End Feed

DC70764: Male Bent Union Connector (Red Brass Tail with Internal Lugs) Copper x Male Thread (Taper)



ITEM	SIZE	PACK QTY
4098G015004000	15 x 1/2"	10
4098G022006000	22 x 3/4"	10
4098G028008000	28 x 1"	10

DC708: Female Wall Plate Connector
Copper x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
4270A015004000	15 x 1/2"	10

DC711: Tee - Reduced End
Copper All Ends



ITEM	SIZE	PACK QTY
DC711351535	35 x 15 x 35	1

VIDEIRATERM
Note: all sizes are in mm unless otherwise stated

VIVA NO MELHOR AMBIENTE

Conex Delcop End Feed



DC711P: Sweep Tee - Equal

Copper All Ends



ITEM	SIZE	PACK QTY
4131 022022022	22	10
4131 028028028	28	10
4131 042042042	42	1
4131 054054054	54	1

DC712: Tee with Female Branch

Copper x Copper x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
4130G015004015	15 x 15 x 1/2"	25
4130G022004022	22 x 22 x 1/2"	10
4130G022006022	22 x 22 x 3/4"	10
4130G028004028	28 x 28 x 1/2"	10
4130G028006028	28 x 28 x 3/4"	10
4130G028008028	28 x 28 x 1"	10
4130G035004035	35 x 35 x 1/2"	1

DC714: Tee with Female End

Copper x Female Thread (Parallel) x Copper



ITEM	SIZE	PACK QTY
4134G015015004	15 x 1/2" x 15	10
4134G022022004	22 x 1/2" x 22	10
4134G028028004	28 x 1/2" x 28	1

VIDEIRATERM

Note: all sizes are in mm unless otherwise stated

VIVA NO MELHOR AMBIENTE

Conex Delcop End Feed

DC716D: Air Vent Male Fit



ITEM	SIZE	PACK QTY
4290D015000000	15	10

DC717D: Stop End with Air Vent Copper



ITEM	SIZE	PACK QTY
4301D015000000	15	10
4301D022000000	22	10

DC733: Female Straight Union Coupler (Red Brass Tail) Copper x FemaleTread (Parallel)



ITEM	SIZE	PACK QTY
4340G015000000	15 x 1/2	10
4340G022000000	22 x 3/4	10
4340G028000000	28 x 1	10
4340G035000000	35 x 1.1/2	1
4340R042012000	42 x 1.1/2	1
4340R054000000	54 x 2	1

VIDEIRA TERM

Note: all sizes are in mm unless otherwise stated

VIVA NO MELHOR AMBIENTE

Conex Delcop End Feed

DC7334: Male Straight Union Connector (Red Brass Tail with Internal Lugs) Copper x Male Thread (Taper)



ITEM	SIZE	PACK QTY
4341G015004000	15 x 1/2"	10
4341G022006000	22 x 3/4"	10
4341G022008000	22 x 1"	10
4341G028008000	28 x 1"	10
4341G035010000	35 x 1.1/4"	1
4341R042012000	42 x 1.1/2"	1
4341R054016000	54 x 2"	1

DC750A: Tank Connector Copper x Male Thread



ITEM	SIZE	PACK QTY
4350 015004000	15 x 1/2"	10
4350 022006000	22 x 3/4"	10
4350 028008000	28 x 1"	10

DC750B: Tank Connector (Long) Copper x Male Thread (Turned)



ITEM	SIZE	PACK QTY
DC750B151/2	15 x 1/2"	10
DC750B223/4	22 x 3/4"	10

VIDEIRA TERM

Note: all sizes are in mm unless otherwise stated

VIVA NO MELHOR AMBIENTE

Conex Delcop End Feed

DC750B: Tank Connector (Long)

Copper x Male Thread (Cast)



ITEM	SIZE	PACK QTY
DC750B35114	35 x 1.1/4"	1
DC750B42112	42 x 1.1/2"	1
DC750B542	54 x 2"	1

DC901: Straight Coupler


Copper x Copper



ITEM	SIZE	PACK QTY
V270 035000000	35	1
V270 042000000	42	1
V270 054000000	54	1

DC906: Obtuse Bend

Copper x Copper



ITEM	SIZE	PACK QTY
V041 035000000	35	1
V041 042000000	42	1
V041 054000000	54	1

VIDEIRA TERM

Note: all sizes are in mm unless otherwise stated

VIVA NO MELHOR AMBIENTE

Conex Delcop End Feed

DC9062: Obtuse Street Bend Male Copper x Copper



ITEM	SIZE	PACK QTY
V040 035000000	35	1
V040 042000000	42	1
V040 054000000	54	1

DC607: Bend 91 1/2° Copper x Copper



ITEM	SIZE	PACK QTY
V090 035000000	35	1
V090 042000000	42	1
V090 054000000	54	1

DC9072: Street Bend 91 1/2° Male Copper x Copper



ITEM	SIZE	PACK QTY
V092 035000000	35	1
V092 042000000	42	1
V092 054000000	54	1

VIDEIRA TERM

Note: all sizes are in mm unless otherwise stated

VIVA NO MELHOR AMBIENTE

Conex Delcop End Feed



DC911: Pitcher Tee Copper All Ends



ITEM	SIZE	PACK QTY
V131 035035035	35	1
V131 042035042	42 x 42 x 35	1
V131 042042042	42	1
V131 054035054	54 x 54 x 35	1
V131 054042042	54 x 42 x 42	1
V131 054042054	54 x 54 x 42	1
V131 054054054	54	1

DC8012: Fitting Reducer Male Copper x Copper



ITEM	SIZE	PACK QTY
DC80124235	42 x 35	1
DC80125435	54 x 35	1
DC80125442	54 x 45	1

DC80716LH: Bend Cleaning Eye Copper x Copper



ITEM	SIZE	PACK QTY
DC80716LH42	42	1
DC80716LH54	54	1

VIDEIRATERM

Note: all sizes are in mm unless otherwise stated

VIVA NO MELHOR AMBIENTE

Conex Delcop End Feed

DC816: Cleanout Fitting and Plug Male Copper x Plug



ITEM	SIZE	PACK QTY
DC81635	35	1
DC81654	54	1

DC816S: Cleanout Fitting and Plug Flush Fitting Male Copper x Plug



ITEM	SIZE	PACK QTY
DC816S353/4	35 x 3/4"	1
DC816S421	42 x 1"	1
DC816S54112	54 x 1.1/2"	1

Conex Delcop End Feed


VIDEIRA TERM
Note: all sizes are in mm unless otherwise stated

VIVA NO MELHOR AMBIENTE